




mitsubishi heavy industries

SRK25CAPDA-W

Hybrid+ Heavy Duty Air Conditioner

2.15 TON

2 STAR

R32 • COOLING

CORE HIGHLIGHTS

MAX COOLING

7,570 W

RATED COOLING

7,200 W

POWER INPUT

1,857 W

ISEER

3.88

AIRFLOW

1,350 CMH

LONG REACH

UP TO 19 M

3D

SURROUND COOLING

19 M

LONG REACH AIRFLOW

PM2.5

NANO AIR FILTER

52°C

HIGH AMBIENT

R32

REFRIGERANT

SURGE

PROTECTOR

PRODUCT POSITIONING

A 2.15-ton Hybrid+ Heavy Duty cooling-only split AC positioned as the highest-capacity model in this Hybrid+ range, with a larger outdoor platform and area coverage of 23–37.5 m².*

Core Specifications

Model	SRK25CAPDA-W
Product type	ECO SMART – Hybrid Heavy Duty AC • Cooling Only
Cooling capacity	2.15 Ton
Maximum cooling capacity	7,570 W • 25,829 BTU/hr
Rated cooling capacity	7,200 W • 24,566 BTU/hr
BEE star rating (2026)	2 Star
ISEER	3.88
Rated EER (100% load)	3.88 W/W
Rated power consumption	1,857 W
Compressor	Rotary
Ambient operating range	Up to 52°C
Refrigerant	R32

Airflow & Acoustic

Indoor airflow	1,350 CMH
Long-reach airflow	Up to 19 m
Sound level • HI-P	55 dB
Sound level • High	52 dB
Sound level • Medium	50 dB
Sound level • Low	48 dB
Cooling coil	2 rows
Self diagnosis	Yes

Dimensions & Airflow

Indoor unit dimensions (H × W × D)	330 × 1100 × 250 mm
Outdoor unit dimensions (H × W × D)	752 × 910 × 330 mm
Indoor unit weight	13.0 kg
Outdoor unit weight	54.5 kg
Area coverage	23.00 – 37.50 m ² *
Liquid line	6.35 mm (1/4")
Gas line	15.88 mm (5/8")

Technical Details

- Power supply: 1 Phase, 220 / 230 V, 50 Hz
- Indoor–outdoor connecting wiring: 2.5 mm² × 4 cores + earthing cable
- Outdoor main power cable: 2.5 mm² × 3 cores + earthing cable

Intelligent Airflow Controls

**JET / Powerful Cooling**

High-powercoolingmodeforrapid heat removal.

**3D Air / Surround Cooling**

Multi-directionalairflowdistribution.

**3D Auto**

Automaticairflow control.

**Up / Down Swing**

Verticalairflowdirection control.

**Lateral Swing**

Side-to-sideairflow distribution.

**Wide Horizontal Louver**

Broadhorizontalairflowdelivery.

**Long Reach Airflow**

Catalog-ratedreachupto19 meters.

Clean Air & Comfort

Anti-viralcoatedpre-filter

Nano PM2.5 air filter

Anti-microbial fan

Self-clean function

Sleep / comfort functions

Maintenance, Protection & Convenience

Self diagnosis

Detachable / washable components

100% copper

Anti-corrosive Blue Fin coils + bends

Auto restart

Backlit remote control

Sleep / Economy / Dry functions

Surge voltage protector



Address: D-157, Ground Floor Shop West Patel Nagar, Front Of Bank Of Baroda News
Delhi- 110008

E-mail: universeelectronic13@gmail.com

Mobile: +91-9911566744

